

REBOUND

by **REVERE**

REBOUND SPORTS FLOOR MAINTENANCE GUIDE

Initial Cleaning

- ① Ensure all adhesive residue is removed from the surface of the flooring.
- ② Sweep or vacuum the floor to remove all surface soil, dirt, sand and grit.
- ③ Damp mop only for the first 48 hours (while adhesive dries) using only clean water and a dampened clean mop head.
- ④ Depending on the level of site soiling after the installation is complete, it may be necessary to scrub the floor clean prior to adopting the daily maintenance regime. Please choose the suitable option below.
 - a) Mop with diluted neutral cleaner/detergent, rinse with clean water and allow it to dry.
 - b) Scrub the floor with diluted neutral detergent using a low-speed rotary scrubber (150 – 250 rpm) or a scrubber dryer (combination machine) fitted with a red pad.
Pick up solution with a wet vac. Rinse with clean water and allow to dry.

Caution : Do not apply any type of polish or wax on Rebound. Also do not sweep or dust mop floor with oil treated mops

Preventive Care

- ① Stop dirt at the entrance with an effective doormat system. The more dirt stopped at the entrance, The less to clean up in rooms.
- ② When carts and similar vehicles with black rubber tires are parked on the floor, they leave marks. protect the floor by placing a piece of carpet, cardboard or similar material underneath.

Regular / Daily Cleaning

Maintenance of Rebound is a daily procedure. It will extend the useful life of the flooring and save the cost for maintenance in the long run.

Option 1 – Non Mechanical Method

- ① Sweep or dust mop the floor to remove all dust, dirt and grit.
- ② Mop the floor with a clean water dampened mop head.
- ③ For surface grime not removed by water-cleaning, hand spray with a neutral cleaner/detergent, scrub asneeded, and rinse with clean water and allow to dry.

Note : If gymnasium is not heavy-traffic area, dust mopping will normally be sufficient.

Option 2 – Mechanical Method

- ① Sweep, dust mop or vacuum the floor to remove all dust, dirt and grit.
- ② Scrub with diluted neutral cleaner/detergent using a low-speed (150 – 200 rpm) scrubber machine fitted with soft nylon brushes or red and white pads.
- ③ Pick up solution with a wet vac.
- ④ Rinse with clean water and allow to dry.

Periodic Cleaning

- ① Mop on a diluted neutral cleaner/detergent solution, wait about 5 to 15 minutes.
- ② Scrub the floor using a 150-250 rpm scrubber equipped with soft nylon brushes or low abrasive pad (red) or similar brush.
- ③ Pick up dirty solution with a wet vac not allowing it to dry on the floor.
- ④ Rinse the cleaned floor with clean water, change rinse water as often as needed until the water remains clear.
- ⑤ After final rinsing, allow floor to dry completely.

Precautions

- ① Do not use strong solvents (benzene, toluol, acetone, tetrachloroethylene) thinner, oil wax or strong scouring powders, strong acid & base such as hydrochloric acid, sodium hydroxide.
- ② Rebound has hard surface treatment by UV-Cured PUR finish. However do not scrub with strong-abrasive pads, steel wool, wire brushes that might damage the surface treatment and wear layer.
- ③ Rubber can permanently stain PVC floorcoverings. Do not use rubber backed mats, rubber furniture feet or rubber wheeled castors.

We recommend that footwear with white soles is worn.

The information given in this technical specification is indicative.
This information has to be considered as general maintenance rules,
which cannot integrate the actual data from each installation.
Therefore, it is subject to modifications whenever required.